


This page shows the frequency of the top 7 "L2" lineages, across recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest, currently "JN.1.* + FLiRT".

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page shows the frequency of a selected "Lineage L2" group of interest, across the leading States, over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the frequency of a selected Lineage of interest, across the leading States, over recent months.

The Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that state.


The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=10,767 sequenced genomes, up to 4 May 2024

United States - JN.1.* +FLiRT vs BA.2.86.*

• log (1st Lineage / 2nd Lineage) • trend

growth of 5.0% per day, crossover on 13-May-24




This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.




This page compares the relative frequency of 2 selected Lineages, over recent months. A challenging Lineage is selected first, and compared to the incumbent.

The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage is considered to have "crossed over" or taken over dominance from the incumbent Lineage

The Lineage classifications are provided by Nextclade.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.

The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
□ United States	24,378	5/4/2024		5/9/2024	age, and translabilities that the
California	5,689	5/1/2024	مخالف الماد	5/9/2024	
New York	4,771	4/29/2024	والأسر والمحجودة اللسيسي	5/9/2024	
Tennessee	1,739	4/10/2024	in that it is	5/1/2024	
Wisconsin	1,739	4/8/2024		4/26/2024	<u></u> .
Texas	1,237	4/24/2024		5/9/2024	
Colorado	934	4/24/2024		5/9/2024	aller a caract
Hawaii	765	4/24/2024		5/8/2024	1 11
Ohio	704	4/24/2024		5/8/2024	. II I I. III. L
New Jersey	635	4/29/2024		5/9/2024	aa kaa dhaaddaa
Minnesota	581	4/24/2024	مالا .	5/6/2024	.1 1 . 1
Virginia	576	4/29/2024	عناش	5/9/2024	and the language and the same
Illinois	537	4/29/2024	, 🕍	5/9/2024	radicts of the co
Connecticut	393	4/25/2024	<u> </u>	5/9/2024	and the second
Utah	355	4/13/2024	t ill.	4/22/2024	n 1. k i
New Hampshire	342	4/10/2024	Jania	4/25/2024	
Louisiana	267	4/26/2024		5/8/2024	
New Mexico	263	4/18/2024	h	5/8/2024	1
Georgia	257	4/8/2024	🏨	5/8/2024	ar taura da la
Washington	251	4/27/2024	r.minkl	5/9/2024	Translation and L
Delaware	245	4/27/2024	<u>l 14</u>	5/8/2024	
Pennsylvania	229	4/26/2024	منافأت المنافق	5/9/2024	attach and d
Arizona	196	4/23/2024	.46.	5/9/2024	al and and h
Nevada	161	4/30/2024	Lan	5/9/2024	and the Late of the Color
Florida	150	4/26/2024	<u> </u>	5/9/2024	Territoria de la la companione de la la companione de la companione de la companione de la companione de la co
lowa	136	5/4/2024		5/8/2024	- I I I J J J J J J J
North Carolina	127	4/25/2024		5/8/2024	I dan raa.
Kentucky	126	4/26/2024	والبا	5/8/2024	1 4
Total	24,378	5/4/2024		5/9/2024	and all has all has different before the

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks. A breakdown of the leading states (by volume) is shown.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.